

| Shape | Description | Construction | Coated/Uncoated | Shape Description | Range | Cut Type | Morrisflex No. | Cutting Diameter d1 | Length of Cut l2 | Shank Diameter d2 | Overall Length l1 | Included Angle | Recommended ATA Air Tool Range | MORRISFLEX Maximum Bur Operating RPM |
|----------|---------------------------|-----------------|-----------------|-----------------------|-------------------|---------------|-------------------|---------------------|------------------|-------------------|-------------------|----------------|--------------------------------------|--------------------------------------|
| SA | SA-3M N/F BUR TIALN | Brazed - Coated | Coated | Cylinder | Coated Range | Aluminium Cut | KA61020-3 TIALN | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SA | SA-5M N/F BUR TIALN | Brazed - Coated | Coated | Cylinder | Coated Range | Aluminium Cut | KA61225-3 TIALN | 12.70 | 25.00 | 6.00 | 70 | | High Speed Die Grinder | 35,000 |
| SB | SB-3M N/F BUR TIALN | Brazed - Coated | Coated | Cylinder with End cut | Coated Range | Aluminium Cut | KB61020-3 TIALN | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SB | SB-5M N/F BUR TIALN | Brazed - Coated | Coated | Cylinder with End cut | Coated Range | Aluminium Cut | KB61225-3 TIALN | 12.70 | 25.00 | 6.00 | 70 | | High Speed Die Grinder | 35,000 |
| SC | SC-3M N/F BUR TIALN | Brazed - Coated | Coated | Ball Nosed Cylinder | Coated Range | Aluminium Cut | KC61020-3 TIALN | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SC | SC-5M N/F BUR TIALN | Brazed - Coated | Coated | Ball Nosed Cylinder | Coated Range | Aluminium Cut | KC61225-3 TIALN | 12.70 | 25.00 | 6.00 | 70 | | High Speed Die Grinder | 35,000 |
| SD | SD-3M N/F BUR TIALN | Brazed - Coated | Coated | Ball | Coated Range | Aluminium Cut | KD61010-3 TIALN | 9.60 | 8.00 | 6.00 | 54 | | High Powered Grinder | 55,000 |
| SD | SD-5M N/F BUR TIALN | Brazed - Coated | Coated | Ball | Coated Range | Aluminium Cut | KD61212-3 TIALN | 12.70 | 11.00 | 6.00 | 56 | | High Speed Die Grinder | 35,000 |
| SF | SF-3M N/F BUR TIALN | Brazed - Coated | Coated | Ball Nosed Tree | Coated Range | Aluminium Cut | KF61020-3 TIALN | 9.60 | 19.00 | 6.00 | 65 | | High Powered Grinder | 55,000 |
| SF | SF-5M N/F BUR TIALN | Brazed - Coated | Coated | Ball Nosed Tree | Coated Range | Aluminium Cut | KF61225-3 TIALN | 12.70 | 25.00 | 6.00 | 70 | | High Speed Die Grinder | 35,000 |
| SL | SL-5M N/F BUR TIALN | Brazed - Coated | Coated | Ball Nosed Cone | Coated Range | Aluminium Cut | KL61228-3 TIALN | 12.70 | 32.00 | 6.00 | 77 | | High Speed Die Grinder | 35,000 |
| Bur Sets | 5 PIECE METRIC NF BUR SET | | Uncoated | Universal Bur Set | Universal Bur Set | Aluminium Cut | >MORFLX-BO-5-6MM3 | | | | | | | |
| SA | SA-43M NF BUR | Solid | Uncoated | Cylinder | Universal | Aluminium Cut | KA30314-3 | 3.00 | 14.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-1M NF BUR | Solid | Uncoated | Cylinder | Universal | Aluminium Cut | KA60618-3 | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SA | SA-51M INOX | Brazed - Mini | Uncoated | Cylinder | Inox | Inox Cut | KA30612-3INOX | 6.30 | 12.70 | 3.00 | 45 | | High Speed Die Grinders (3mm collet) | 65,000 |
| SA | SA-2M NF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA60820-3 | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SA | SA-3M NF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA61020-3 | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SA | SA-5M8 NF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA81225-3 | 12.70 | 25.00 | 8.00 | 70 | | High Powered Grinder | 35,000 |
| SA | SA-5MNF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA61225-3 | 12.70 | 25.00 | 6.00 | 69 | | High Powered Grinder | 35,000 |
| SA | SA-6M8 NF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA81525-3 | 16.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 25,000 |
| SA | SA-6MNF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA61525-3 | 16.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 25,000 |
| SA | SA-7MNF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA62025-3 | 19.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 20,000 |
| SA | SA-7MNF BUR 8MM SHANK | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA82025-3 | 19.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 20,000 |
| SA | SA-9M NF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA62525-3 | 25.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 15,000 |
| SA | SA-9M8 NF BUR | Brazed | Uncoated | Cylinder | Universal | Aluminium Cut | KA82525-3 | 25.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 15,000 |
| SB | SB-43M NF C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB30314-3 | 3.00 | 14.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SB | SB-1MNF BUR | Solid | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB60618-3 | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SC | SC-51M INOX | Brazed - Mini | Uncoated | Ball Nosed Cylinder | Inox | Inox Cut | KC30612-3INOX | 6.30 | 12.70 | 3.00 | 45 | | High Speed Die Grinders (3mm collet) | 65,000 |
| SC | SC-2M NF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB60820-3 | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SB | SB-3MNF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB61020-3 | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SB | SB-3MNF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB61020-3 | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SB | SB-5M8 NF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB81225-3 | 12.70 | 25.00 | 8.00 | 70 | | High Powered Grinder | 35,000 |
| SB | SB-5MNF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB61225-3 | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SB | SB-6M8 NF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB81525-3 | 16.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 25,000 |
| SB | SB-6MNF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB61525-3 | 16.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 25,000 |
| SB | SB-7M8 NF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB82085-3 | 19.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 20,000 |
| SB | SB-7MNF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB62025-3 | 19.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 20,000 |
| SB | SB-9M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB62525-3 | 25.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 15,000 |
| SB | SB-9M8 NF BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Aluminium Cut | KB82525-3 | 25.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 15,000 |
| SC | SC-42M NF BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC30312-3 | 3.00 | 14.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SC | SC-1MNF BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC60618-3 | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SD | SD-51M INOX | Brazed - Mini | Uncoated | Ball | Inox | Inox Cut | KD30606-3INOX | 6.30 | 5.00 | 3.00 | 38 | | High Speed Die Grinders (3mm collet) | 65,000 |
| SC | SC-2M NF BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC60820-3 | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SC | SC-3MNF BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC61020-3 | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SC | SC-5M8 NF BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC81225-3 | 12.70 | 25.00 | 8.00 | 70 | | High Powered Grinder | 35,000 |
| SC | SC-5MNF BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC61225-3 | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SC | SC-5MZ NF BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC61220-3 | 12.70 | 19.00 | 6.00 | 64 | | High Powered Grinder | 35,000 |
| SC | SC-6M8 NF BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC81525-3 | 16.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 25,000 |
| SC | SC-6M NF BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC61525-3 | 16.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 25,000 |
| SC | SC-7MNF BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC62025-3 | 19.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 20,000 |
| SC | SC-7MNF BUR 8MM SHANK | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Aluminium Cut | KC82025-3 | 19.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 20,000 |
| SD | SD-42M NF BUR | Solid | Uncoated | Ball | Universal | Aluminium Cut | KD30303-3 | 3.00 | 2.50 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SD | SD-52M NF BUR | Solid | Uncoated | Ball | Universal | Aluminium Cut | KD30404-3 | 4.00 | 3.40 | 3.00 | 38 | | High Speed Die Grinders (3mm collet) | 75,000 |
| SD | SD-1MNF BUR | Solid | Uncoated | Ball | Universal | Aluminium Cut | KD60606-3 | 6.00 | 4.70 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SF | SF-51M INOX | Brazed - Mini | Uncoated | Ball Nosed Tree | Inox | Inox Cut | KF30612-3INOX | 6.30 | 12.70 | 3.00 | 45 | | High Speed Die Grinders (3mm collet) | 65,000 |
| SD | SD-2M NF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD60808-3 | 8.00 | 6.00 | 6.00 | 50 | | High Powered Grinder | 60,000 |
| SD | SD-3MNF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD61010-3 | 9.60 | 8.00 | 6.00 | 54 | | High Powered Grinder | 55,000 |
| SD | SD-5MNF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD61212-3 | 12.70 | 11.00 | 6.00 | 56 | | High Powered Grinder | 35,000 |
| SD | SD-5M8 NF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD81212-3 | 12.70 | 11.00 | 8.00 | 56 | | High Powered Grinder | 35,000 |
| SD | SD-5M8 NF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD81525-3 | 16.00 | 14.00 | 8.00 | 59 | | High Powered Grinder | 25,000 |
| SD | SD-6MNF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD61515-3 | 16.00 | 14.00 | 6.00 | 59 | | High Powered Grinder | 25,000 |
| SD | SD-7MNF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD62020-3 | 19.00 | 16.50 | 8.00 | 62 | | High Powered Grinder | 20,000 |
| SD | SD-7MNF BUR 8MM SHANK | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD82020-3 | 19.00 | 16.50 | 8.00 | 62 | | High Powered Grinder | 20,000 |
| SD | SD-9M NF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD62525-3 | 25.00 | 22.00 | 6.00 | 67 | | High Powered Grinder | 15,000 |
| SD | SD-9M8 NF BUR | Brazed | Uncoated | Ball | Universal | Aluminium Cut | KD82525-3 | 25.00 | 22.00 | 8.00 | 67 | | High Powered Grinder | 15,000 |
| SE | SE-41M NF BUR | Solid | Uncoated | Oval | Universal | Aluminium Cut | KE30306-3 | 3.00 | 6.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SE | SE-1M NF BUR | Solid | Uncoated | Oval | Universal | Aluminium Cut | E60610-3 | 6.00 | 10.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SA | SA-51M BUR | Brazed - Mini | Uncoated | Cylinder | Universal | Single Cut | KA30612-2 | 6.30 | 12.70 | 3.00 | 45 | | High Speed Die Grinders (3mm collet) | 65,000 |
| SE | SE-2M NF BUR | Brazed | Uncoated | Oval | Universal | Aluminium Cut | KE60815-3 | 8.00 | 15.00 | 6.00 | 58 | | High Powered Grinder | 60,000 |
| SE | SE-3MNF BUR | Brazed | Uncoated | Oval | Universal | Aluminium Cut | KE61015-3 | 9.60 | 16.00 | 6.00 | 60 | | High Powered Grinder | 55,000 |
| SE | SE-5M8 NF BUR | Brazed | Uncoated | Oval | Universal | Aluminium Cut | KE81220-3 | 12.70 | 22.00 | 8.00 | 67 | | High Powered Grinder | 35,000 |
| SE | SE-5MNF BUR | Brazed | Uncoated | Oval | Universal | Aluminium Cut | KE61220-3 | 12.70 | 22.00 | 6.00 | 67 | | High Powered Grinder | 35,000 |
| SE | SE-6M8 NF BUR | Brazed | Uncoated | Oval | Universal | Aluminium Cut | KE81525-3 | 16.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 25,000 |
| SE | SE-6MNF BUR | Brazed | Uncoated | Oval | Universal | Aluminium Cut | KE61525-3 | 16.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 25,000 |
| SE | SE-7MNF BUR | Brazed | Uncoated | Oval | Universal | Aluminium Cut | KE62025-3 | 19.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 20,000 |
| SE | SE-7MNF BUR 8MM SHANK | Brazed | Uncoated | Oval | Universal | Aluminium Cut | KE82025-3 | 19.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 20,000 |
| SF | SF-42M NF BUR | Solid | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF30312-3 | 3.00 | 14.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SF | SF-1MNF BUR | Solid | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF60618-3 | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SA | SA-51M BUR | Brazed - Mini | Uncoated | Cylinder | Universal | Single Cut | KA30605-2 | 6.30 | 4.70 | 3.00 | 37 | | High Speed Die Grinders (3mm collet) | 65,000 |
| SF | SF-51M NF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF60820-3 | 8.00 | 20.00 | 6.00 | 65 | | High Powered Grinder | 60,000 |
| SF | SF-3MNF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF61020-3 | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SF | SF-5M8 NF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF81225-3 | 12.70 | 25.00 | 8.00 | 70 | | High Powered Grinder | 35,000 |
| SF | SF-5MNF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF61225-3 | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SF | SF-6M8 NF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF81525-3 | 16.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 25,000 |
| SF | SF-6MNF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF61525-3 | 16.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 25,000 |
| SF | SF-14MNF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF62032-3 | 19.00 | 32.00 | 6.00 | 77 | | High Powered Grinder | 20,000 |
| SF | SF-14MNF BUR 8MM SHANK | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF82032-3 | 19.00 | 32.00 | 8.00 | 77 | | High Powered Grinder | 20,000 |
| SF | SF-15M NF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF62038-3 | 19.00 | 38.00 | 6.00 | 82 | | High Powered Grinder | 20,000 |
| SF | SF-15M8 BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF82038-3 | 19.00 | 38.00 | 8.00 | 83 | | High Powered Grinder | 20,000 |
| SF | SF-7M NF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF62025-3 | 19.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 20,000 |
| SF | SF-7M8 NF BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF82025-3 | 19.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 20,000 |
| SG | SG-44M NF BUR | Solid | Uncoated | Pointed Tree | Universal | Aluminium Cut | KG30312-3 | 3.00 | 14.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 1 |

| | | | | | | | | | | | | | | | | |
|----------|-----------------------------------|---------------|----------|-----------------------|-------------------|----------------|---------------------|-------|-------|------|-----|----|--|--|--------------------------------------|---------|
| SC | SC-5M BUR | Brazed | Uncoated | Ball nosed cylinder | Base Metal | Base Metal Cut | KC61225-6BM | 12.70 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SD | SD-2M BUR | Brazed | Uncoated | Ball | Base Metal | Base Metal Cut | KD60808-6BM | 8.00 | 6.00 | 6.00 | 52 | | | | High Powered Grinder | 60,000 |
| SD | SD-3M BUR | Brazed | Uncoated | Ball | Base Metal | Base Metal Cut | KD61010-6BM | 9.60 | 8.00 | 6.00 | 54 | | | | High Powered Grinder | 55,000 |
| SD | SD-5M BUR | Brazed | Uncoated | Ball | Base Metal | Base Metal Cut | KD61212-6BM | 12.70 | 11.00 | 6.00 | 56 | | | | High Powered Grinder | 35,000 |
| SE | SE-2M BUR | Brazed | Uncoated | Oval | Base Metal | Base Metal Cut | KE60815-6BM | 8.00 | 15.00 | 6.00 | 60 | | | | High Powered Grinder | 60,000 |
| SE | SE-3M BUR | Brazed | Uncoated | Oval | Base Metal | Base Metal Cut | KE61015-6BM | 9.60 | 16.00 | 6.00 | 60 | | | | High Powered Grinder | 55,000 |
| SE | SE-5M BUR | Brazed | Uncoated | Oval | Base Metal | Base Metal Cut | KE61220-6BM | 12.70 | 22.00 | 6.00 | 67 | | | | High Powered Grinder | 35,000 |
| SF | SF-2M BUR | Brazed | Uncoated | Ball nosed tree | Base Metal | Base Metal Cut | KF60820-6BM | 8.00 | 20.00 | 6.00 | 65 | | | | High Powered Grinder | 60,000 |
| SF | SF-3M BUR | Brazed | Uncoated | Ball nosed tree | Base Metal | Base Metal Cut | KF61020-6BM | 9.60 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 55,000 |
| SF | SF-5M BUR | Brazed | Uncoated | Ball nosed tree | Base Metal | Base Metal Cut | KF61225-6BM | 12.70 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SG | SG-2M BUR | Brazed | Uncoated | Pointed Tree | Base Metal | Base Metal Cut | KG60820-6BM | 8.00 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 60,000 |
| SG | SG-3M BUR | Brazed | Uncoated | Pointed Tree | Base Metal | Base Metal Cut | KG61020-6BM | 9.60 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 55,000 |
| SG | SG-5M BUR | Brazed | Uncoated | Pointed Tree | Base Metal | Base Metal Cut | KG61225-6BM | 12.70 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SH | SH-5M BUR | Brazed | Uncoated | Flame | Base Metal | Base Metal Cut | KH61232-6BM | 12.70 | 32.00 | 6.00 | 77 | | | | High Powered Grinder | 35,000 |
| SL | SL-2M BUR | Brazed | Uncoated | Ball nosed cone | Base Metal | Base Metal Cut | KL60822-6BM | 8.00 | 25.40 | 6.00 | 70 | 14 | | | High Powered Grinder | 60,000 |
| SL | SL-3M BUR | Brazed | Uncoated | Ball nosed cone | Base Metal | Base Metal Cut | KL61026-6BM | 9.60 | 30.00 | 6.00 | 76 | 14 | | | High Powered Grinder | 55,000 |
| SL | SL-4M BUR | Brazed | Uncoated | Ball nosed cone | Base Metal | Base Metal Cut | KL61228-6BM | 12.70 | 30.00 | 6.00 | 77 | 14 | | | High Powered Grinder | 35,000 |
| SM | SM-4M BUR | Brazed | Uncoated | Cone | Base Metal | Base Metal Cut | KM61020-6BM | 9.60 | 16.00 | 6.00 | 64 | 28 | | | High Powered Grinder | 55,000 |
| SM | SM-5M BUR | Brazed | Uncoated | Cone | Base Metal | Base Metal Cut | KM61222-6BM | 12.70 | 22.00 | 6.00 | 71 | 28 | | | High Powered Grinder | 35,000 |
| Bur Sets | 5 PIECE METRIC BUR SET D/C | | Uncoated | Universal Bur Set | Universal Bur Set | Double Cut | >MORFLX-BX-5X6MM-6 | | | | | | | | | |
| Bur Sets | 10 PIECE METRIC BUR SET D/C | | Uncoated | Universal Bur Set | Universal Bur Set | Double Cut | >MORFLX-AL-10X6MM-6 | | | | | | | | | |
| Bur Sets | 10 PIECE METRIC MINIATURE BUR SET | | Uncoated | Universal Bur Set | Universal Bur Set | Double Cut | >MORFLX-HQ-10X3MM-6 | | | | | | | | | |
| Bur Sets | POINT OF DISPLAY METRIC BUR SET | | Uncoated | Universal Bur Set | Universal Bur Set | Double Cut | >MORFLX-AT-40X6MM-6 | | | | | | | | | |
| Bur Sets | 5 PIECE METRIC COATED BUR SET D/C | | Coated | Universal Bur Set | Universal Bur Set | Double Cut | >MORFLX-BL-5X6MM-6 | | | | | | | | | |
| SA | SA-41M D/C BUR | Solid | Uncoated | Cylinder | Universal | Double Cut | KA31.506-6 | 1.50 | 6.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-41M D/C BUR | Solid | Uncoated | Cylinder | Universal | Double Cut | KA30211-6 | 2.00 | 11.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-42M D/C BUR | Solid | Uncoated | Cylinder | Universal | Double Cut | KA32.512-6 | 2.50 | 12.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-11M D/C BUR | Solid | Uncoated | Cylinder | Universal | Double Cut | KA60312-6 | 3.00 | 14.00 | 6.00 | 50 | | | | High Speed Die Grinder | 100,000 |
| SA | SA-43M D/C BUR | Solid | Uncoated | Cylinder | Universal | Double Cut | KA30314-6 | 3.00 | 14.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-13M D/C BUR | Solid | Uncoated | Cylinder | Universal | Double Cut | KA60413-6 | 4.00 | 14.00 | 6.00 | 50 | | | | High Speed Die Grinder | 75,000 |
| SA | SA-14M D/C BUR | Solid | Uncoated | Cylinder | Universal | Double Cut | KA60516-6 | 5.00 | 16.00 | 6.00 | 50 | | | | High Speed Die Grinder | 75,000 |
| SA | SA-53M BUR | Brazed - Mini | Uncoated | Cylinder | Universal | Single Cut | KA30512-2 | 5.00 | 12.70 | 3.00 | 38 | | | | High Speed Die Grinders (3mm collet) | 75,000 |
| SA | SA-1M D/C BUR | Solid | Uncoated | Cylinder | Universal | Double Cut | KA60618-6 | 6.00 | 18.00 | 6.00 | 50 | | | | High Speed Die Grinder | 65,000 |
| SA | SA-1ML D/C BUR 25MM FL | Solid | Uncoated | Cylinder | Universal | Double Cut | KA60625-6 | 6.00 | 25.00 | 6.00 | 50 | | | | High Speed Die Grinder | 65,000 |
| SA | SA-53M D/C BUR | Brazed - Mini | Uncoated | Cylinder | Universal | Double Cut | KA30512-6 | 5.00 | 12.70 | 3.00 | 38 | | | | High Speed Die Grinders (3mm collet) | 75,000 |
| SB | SB-13M BUR | Brazed - Mini | Uncoated | Cylinder with End cut | Universal | Single Cut | KB30512-2 | 5.00 | 12.70 | 3.00 | 38 | | | | High Speed Die Grinders (3mm collet) | 75,000 |
| SA | SA-2M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA60820-6 | 8.00 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 60,000 |
| SA | SA-2M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA61014-6 | 9.60 | 13.50 | 6.00 | 59 | | | | High Powered Grinder | 55,000 |
| SA | SA-3M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA61020-6 | 9.60 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 55,000 |
| SA | SA-3M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA61025-6 | 9.60 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 55,000 |
| SA | SA-4M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA61125-6 | 11.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SA | SA-4M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA61220-6 | 12.70 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 35,000 |
| SA | SA-5M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA61225-6 | 12.70 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SA | SA-5M8 D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA81225-6 | 12.70 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 35,000 |
| SA | SA-6M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA61525-6 | 16.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 25,000 |
| SA | SA-6M8 D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA81525-6 | 16.00 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 25,000 |
| SA | SA-7M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA62025-6 | 19.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 20,000 |
| SA | SA-7M8 D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA82025-6 | 19.00 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 20,000 |
| SA | SA-9M D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA62525-6 | 25.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 15,000 |
| SA | SA-9M8 D/C BUR | Brazed | Uncoated | Cylinder | Universal | Double Cut | KA82525-6 | 25.00 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 15,000 |
| SB | SB-41M D/C C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Double Cut | KB31.506-6 | 1.50 | 6.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SB | SB-41M D/C C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Double Cut | KB30211-6 | 2.00 | 11.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SB | SB-42M D/C C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Double Cut | KB32.512-6 | 2.50 | 12.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-1M D/C BUR 6MM X 100MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KA60618-6-100 | 6.00 | 18.00 | 6.00 | 100 | | | | Low Speed Die Grinder | 15,000 |
| SB | SB-11M D/C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Double Cut | KB60413-6 | 4.00 | 14.00 | 6.00 | 50 | | | | High Speed Die Grinder | 75,000 |
| SB | SB-14M D/C C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Double Cut | KB60516-6 | 5.00 | 16.00 | 6.00 | 50 | | | | High Speed Die Grinder | 75,000 |
| SB | SB-13M D/C BUR | Brazed - Mini | Uncoated | Cylinder with End cut | Universal | Double Cut | KB30512-6 | 5.00 | 12.70 | 3.00 | 38 | | | | High Speed Die Grinders (3mm collet) | 75,000 |
| SA | SA-1M D/C BUR 6MM X 150MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KA60618-6-150 | 6.00 | 18.00 | 6.00 | 150 | | | | Low Speed Die Grinder | 15,000 |
| SB | SB-11M D/C BUR | Brazed - Mini | Uncoated | Cylinder with End cut | Universal | Single Cut | KB30612-2 | 6.30 | 12.70 | 3.00 | 45 | | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SB | SB-51M C BUR | Brazed - Mini | Uncoated | Cylinder with End cut | Universal | Single Cut | KB30605-2 | 6.30 | 4.70 | 3.00 | 37 | | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SB | SB-2M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB60820-6 | 8.00 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 60,000 |
| SB | SB-3ML D/C BUR 25MM FL | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB61025-6 | 9.50 | 25.00 | 6.00 | 69 | | | | High Powered Grinder | 55,000 |
| SB | SB-3M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB61020-6 | 9.60 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 55,000 |
| SB | SB-3M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB61014-6 | 9.60 | 13.50 | 6.00 | 59 | | | | High Powered Grinder | 55,000 |
| SB | SB-4M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB61125-6 | 11.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SB | SB-4M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB61220-6 | 12.70 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 35,000 |
| SB | SB-5M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB61225-6 | 12.70 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SB | SB-5M8 D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB81225-6 | 12.70 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 35,000 |
| SB | SB-6M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB61525-6 | 16.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 25,000 |
| SB | SB-6M8 D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB81525-6 | 16.00 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 25,000 |
| SB | SB-7M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB62025-6 | 19.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 20,000 |
| SB | SB-7M8 D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB82025-6 | 19.00 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 20,000 |
| SB | SB-9M D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB62525-6 | 25.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 15,000 |
| SB | SB-9M8 D/C BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Double Cut | KB82525-6 | 25.00 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 15,000 |
| SC | SC-41M D/C BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC30211-6 | 2.00 | 11.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SC | SC-41M D/C BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC32.511-6 | 2.50 | 11.00 | 3.00 | 38 | | | | SP - Pencil Grinder Range | 100,000 |
| SC | SC-13M D/C BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC60413-6 | 4.00 | 14.00 | 6.00 | 50 | | | | High Speed Die Grinder | 75,000 |
| SC | SC-14M D/C BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC60516-6 | 5.00 | 16.00 | 6.00 | 50 | | | | High Speed Die Grinder | 75,000 |
| SB | SB-51M D/C C BUR | Brazed - Mini | Uncoated | Cylinder with End cut | Universal | Double Cut | KB30605-6 | 6.30 | 4.70 | 3.00 | 37 | | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SB | SB-51M D/C C BUR | Brazed - Mini | Uncoated | Cylinder with End cut | Universal | Double Cut | KB30612-6 | 6.30 | 12.70 | 3.00 | 45 | | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SC | SC-2M D/C BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC60820-6 | 8.00 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 60,000 |
| SC | SC-3M D/C BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC61020-6 | 9.60 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 55,000 |
| SC | SC-3ML D/C BUR 25MM FL | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC61025-6 | 9.60 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 55,000 |
| SC | SC-4M D/C BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC61125-6 | 11.00 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SC | SC-4M D/C BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC61210-6 | 12.00 | 10.00 | 6.00 | 54 | | | | High Powered Grinder | 35,000 |
| SC | SC-5M D/C BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC61225-6 | 12.70 | 25.00 | 6.00 | 70 | | | | High Powered Grinder | 35,000 |
| SC | SC-5M8 D/C BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC81225-6 | 12.70 | 25.00 | 8.00 | 70 | | | | High Powered Grinder | 35,000 |
| SC | SC-5M2 D/C BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC61220-6 | 12.70 | 19.00 | 6.00 | 64 | | | | High Powered Grinder | 35,000 |
| SC | SC-6M D/C BUR | Brazed | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC61525-6 | 16.00 | 25.00 | | | | | | | |

| | | | | | | | | | | | | | | | |
|----------|---------------------------------|---------------|----------|-----------------------|----------------|-----------------|----------------------|-------|-------|------|-----|----|--|--------------------------------------|---------|
| SF | SF-14M D/C BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF62032-6 | 19.00 | 32.00 | 6.00 | 77 | | | High Powered Grinder | 20,000 |
| SF | SF-14M8 D/C BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF82032-6 | 19.00 | 32.00 | 8.00 | 77 | | | High Powered Grinder | 20,000 |
| SF | SF-15M D/C BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF62038-6 | 19.00 | 38.00 | 6.00 | 83 | | | High Powered Grinder | 20,000 |
| SF | SF-15M8 D/C BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF82038-6 | 19.00 | 38.00 | 8.00 | 83 | | | High Powered Grinder | 20,000 |
| SF | SF-7M D/C BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF62025-6 | 19.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 20,000 |
| SF | SF-7M8 D/C BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF82025-6 | 19.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 20,000 |
| SB | SB-1M D/C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Double Cut | KB60618-6 | 6.00 | 18.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SC | SC-53M D/C BUR | Brazed - Mini | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC30512-6 | 5.00 | 12.70 | 3.00 | 38 | | | High Speed Die Grinders (3mm collet) | 75,000 |
| SG | SG-2M D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG60820-6 | 8.00 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 60,000 |
| SG | SG-3M D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG61020-6 | 9.60 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 55,000 |
| SG | SG-5M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG81225-6 | 12.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 35,000 |
| SG | SG-13M D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG61220-6 | 12.70 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 35,000 |
| SG | SG-5M D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG61225-6 | 12.70 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 35,000 |
| SG | SG-5M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KC61230-6 | 12.70 | 30.00 | 6.00 | 75 | | | High Powered Grinder | 35,000 |
| SG | SG-5M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG81230-6 | 12.70 | 30.00 | 8.00 | 75 | | | High Powered Grinder | 35,000 |
| SG | SG-6M D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG61525-6 | 16.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 25,000 |
| SG | SG-6M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG81525-6 | 16.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 25,000 |
| SG | SG-6M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG61530-6 | 16.00 | 30.00 | 6.00 | 75 | | | High Powered Grinder | 25,000 |
| SG | SG-6M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG81530-6 | 16.00 | 30.00 | 8.00 | 75 | | | High Powered Grinder | 25,000 |
| SG | SG-7M D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG62025-6 | 19.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 20,000 |
| SG | SG-7M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG82025-6 | 19.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 20,000 |
| SG | SG-7M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KF62038-6 | 19.00 | 38.00 | 6.00 | 83 | | | High Powered Grinder | 20,000 |
| SG | SG-7M8 D/C BUR | Brazed | Uncoated | Pointed Tree | Universal | Double Cut | KG82038-6 | 19.00 | 38.00 | 8.00 | 83 | | | High Powered Grinder | 20,000 |
| SB | SB-1M D/C BUR 6MM X 100MM SHK | Solid - Long | Uncoated | Cylinder with End cut | Long Shank | Double Cut | KB60618-6-100 | 6.00 | 18.00 | 6.00 | 100 | | | Low Speed Die Grinder | 15,000 |
| SD | SD-51M BUR | Brazed - Mini | Uncoated | Ball | Universal | Single Cut | KD30606-2 | 6.30 | 5.00 | 3.00 | 38 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SB | SB-1M D/C BUR 6MM X 150MM SHK | Solid - Long | Uncoated | Cylinder with End cut | Long Shank | Double Cut | KB60618-6-150 | 6.00 | 18.00 | 6.00 | 150 | | | Low Speed Die Grinder | 15,000 |
| SH | SH-2M D/C C BUR | Brazed | Uncoated | Flame | Universal | Double Cut | KH60820-6 | 8.00 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 60,000 |
| SH | SH-2M D/C C BUR | Brazed | Uncoated | Flame | Universal | Double Cut | KH61020-6 | 9.60 | 19.00 | 6.00 | 65 | | | High Powered Grinder | 55,000 |
| SH | SH-5M D/C BUR | Brazed | Uncoated | Flame | Universal | Double Cut | KH61232-6 | 12.70 | 32.00 | 6.00 | 77 | | | High Powered Grinder | 35,000 |
| SH | SH-5M8 D/C BUR | Brazed | Uncoated | Flame | Universal | Double Cut | KH81232-6 | 12.70 | 32.00 | 8.00 | 77 | | | High Powered Grinder | 35,000 |
| SH | SH-6M D/C BUR | Brazed | Uncoated | Flame | Universal | Double Cut | KH61535-6 | 16.00 | 36.00 | 6.00 | 81 | | | High Powered Grinder | 25,000 |
| SH | SH-6M8 D/C BUR | Brazed | Uncoated | Flame | Universal | Double Cut | KH81535-6 | 16.00 | 36.00 | 8.00 | 81 | | | High Powered Grinder | 25,000 |
| SH | SH-7M D/C BUR | Brazed | Uncoated | Flame | Universal | Double Cut | KH62042-6 | 19.00 | 41.00 | 6.00 | 86 | | | High Powered Grinder | 20,000 |
| SH | SH-7M8 D/C BUR | Brazed | Uncoated | Flame | Universal | Double Cut | KH82042-6 | 19.00 | 41.00 | 8.00 | 86 | | | High Powered Grinder | 20,000 |
| SJ | SJ-3M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ61008-6 | 9.60 | 8.00 | 6.00 | 56 | 60 | | High Powered Grinder | 55,000 |
| SK | SK-3M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK61004-6 | 9.60 | 4.70 | 6.00 | 53 | 90 | | High Powered Grinder | 55,000 |
| SK | SK-5M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK61206-6 | 12.70 | 6.30 | 6.00 | 55 | 90 | | High Powered Grinder | 35,000 |
| SK | SK-5M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK81206-6 | 12.70 | 6.30 | 8.00 | 55 | 90 | | High Powered Grinder | 35,000 |
| SK | SK-6M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK61508-6 | 16.00 | 8.00 | 6.00 | 57 | 90 | | High Powered Grinder | 25,000 |
| SK | SK-6M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK81508-6 | 16.00 | 8.00 | 8.00 | 57 | 90 | | High Powered Grinder | 25,000 |
| SK | SK-7M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK82012-6 | 19.00 | 9.50 | 8.00 | 59 | 90 | | High Powered Grinder | 20,000 |
| SK | SK-7M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK62012-6 | 19.00 | 9.50 | 6.00 | 59 | 90 | | High Powered Grinder | 20,000 |
| SK | SK-7M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK8215-6 | 25.00 | 12.70 | 8.00 | 61 | 90 | | High Powered Grinder | 15,000 |
| SK | SK-9M D/C BUR | Brazed | Uncoated | 90° Countersink | Universal | Double Cut | KK62512-6 | 25.00 | 12.70 | 6.00 | 61 | 90 | | High Powered Grinder | 15,000 |
| SJ | SJ-5M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ61210-6 | 12.70 | 11.00 | 6.00 | 59 | 60 | | High Powered Grinder | 35,000 |
| SJ | SJ-5M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ81210-6 | 12.70 | 11.00 | 8.00 | 59 | 60 | | High Powered Grinder | 35,000 |
| SJ | SJ-6M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ61512-6 | 16.00 | 14.50 | 6.00 | 63 | 60 | | High Powered Grinder | 25,000 |
| SJ | SJ-6M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ81512-6 | 16.00 | 14.50 | 8.00 | 63 | 60 | | High Powered Grinder | 25,000 |
| SJ | SJ-7M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ62018-6 | 19.00 | 17.50 | 6.00 | 65 | 60 | | High Powered Grinder | 20,000 |
| SJ | SJ-7M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ82018-6 | 19.00 | 17.50 | 8.00 | 65 | 60 | | High Powered Grinder | 20,000 |
| SJ | SJ-9M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ62520-6 | 25.00 | 24.50 | 6.00 | 70 | 60 | | High Powered Grinder | 15,000 |
| SJ | SJ-9M D/C BUR | Brazed | Uncoated | 60° Countersink | Universal | Double Cut | KJ82025-6 | 25.00 | 24.50 | 8.00 | 70 | 60 | | High Powered Grinder | 15,000 |
| SB | SB-43M D/C BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KB30314-6-50 | 3.00 | 14.00 | 3.00 | 50 | | | Low Speed Die Grinder | 15,000 |
| SD | SD-51M D/C BUR | Brazed - Mini | Uncoated | Ball | Universal | Double Cut | KD30606-6 | 6.30 | 5.00 | 3.00 | 38 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SB | SB-43M D/C BUR 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KB30314-6-75 | 3.00 | 14.00 | 3.00 | 75 | | | Low Speed Die Grinder | 15,000 |
| SD | SD-51M NF BUR | Brazed - Mini | Uncoated | Ball | Universal | Aluminumium Cut | KD30606-3 | 6.30 | 5.00 | 3.00 | 38 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SL | SL-2M D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL60822-6 | 8.00 | 25.40 | 6.00 | 70 | 14 | | High Powered Grinder | 60,000 |
| SL | SL-3M D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL61026-6 | 9.60 | 30.00 | 6.00 | 76 | 14 | | High Powered Grinder | 55,000 |
| SL | SL-2M D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL61020-6 | 10.00 | 20.00 | 6.00 | 65 | 14 | | High Powered Grinder | 55,000 |
| SL | SL-3M D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL61225-6 | 12.00 | 25.00 | 6.00 | 70 | 14 | | High Powered Grinder | 35,000 |
| SL | SL-4M D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL61228-6 | 12.70 | 32.00 | 6.00 | 77 | 14 | | High Powered Grinder | 35,000 |
| SL | SL-4M D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL81228-6 | 12.70 | 32.00 | 8.00 | 77 | 14 | | High Powered Grinder | 35,000 |
| SL | SL-5M D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL61533-6 | 16.00 | 33.00 | 6.00 | 78 | 14 | | High Powered Grinder | 25,000 |
| SL | SL-5M8 D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL81533-6 | 16.00 | 33.00 | 8.00 | 78 | 14 | | High Powered Grinder | 25,000 |
| SL | SL-7M D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL62038-6 | 19.00 | 41.00 | 6.00 | 86 | 14 | | High Powered Grinder | 20,000 |
| SL | SL-7M8 D/C BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL82038-6 | 19.00 | 41.00 | 8.00 | 86 | 14 | | High Powered Grinder | 20,000 |
| SB | SB-43M D/C BUR 3MM X 100MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KB30314-6-100 | 3.00 | 14.00 | 3.00 | 100 | | | Low Speed Die Grinder | 15,000 |
| SC | SC-11M D/C BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC60312-6 | 3.00 | 14.00 | 6.00 | 50 | | | High Speed Die Grinder | 100,000 |
| SC | SC-42M D/C BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC30132-6 | 3.00 | 14.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SC | SC-1ML D/C BUR 25MM FL | Solid | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC60625-6 | 6.00 | 25.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SC | SC-1M D/C BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Double Cut | KC60618-6 | 6.00 | 18.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SE | SE-51M BUR | Brazed - Mini | Uncoated | Oval | Universal | Single Cut | KE30610-2 | 6.30 | 9.50 | 3.00 | 42 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SM | | | | | | | | | | | | | | | |
| SM | SM-4M D/C BUR | Brazed | Uncoated | Cone | Universal | Double Cut | KM60818-6 | 8.00 | 18.00 | 6.00 | 64 | 22 | | High Powered Grinder | 60,000 |
| SM | SM-5M D/C BUR | Brazed | Uncoated | Cone | Universal | Double Cut | KM61020-6 | 9.60 | 16.00 | 6.00 | 64 | 28 | | High Powered Grinder | 55,000 |
| SM | SM-5M8 D/C BUR | Brazed | Uncoated | Cone | Universal | Double Cut | KM61222-6 | 12.70 | 22.00 | 6.00 | 71 | 28 | | High Powered Grinder | 35,000 |
| SM | SM-6M D/C BUR | Brazed | Uncoated | Cone | Universal | Double Cut | KM81222-6 | 12.70 | 22.00 | 8.00 | 71 | 28 | | High Powered Grinder | 35,000 |
| SE | SE-51M D/C BUR | Brazed - Mini | Uncoated | Oval | Universal | Double Cut | KE30610-6 | 6.30 | 9.50 | 3.00 | 42 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SM | SM-6M8 D/C BUR | Brazed | Uncoated | Cone | Universal | Double Cut | KM81525-6 | 16.00 | 25.00 | 8.00 | 71 | 31 | | High Powered Grinder | 25,000 |
| SN | SN-2M D/C BUR | Brazed | Uncoated | Inverted Cone | Universal | Double Cut | KN61010-6 | 9.60 | 9.50 | 6.00 | 55 | 16 | | High Powered Grinder | 55,000 |
| SN | SN-4M D/C BUR | Brazed | Uncoated | Inverted Cone | Universal | Double Cut | KN61212-6 | 12.70 | 12.70 | 6.00 | 58 | 28 | | High Powered Grinder | 35,000 |
| SN | SN-4M8 D/C BUR | Brazed | Uncoated | Inverted Cone | Universal | Double Cut | KN81212-6 | 12.70 | 12.70 | 8.00 | 58 | 28 | | High Powered Grinder | 35,000 |
| SN | SN-6M D/C BUR | Brazed | Uncoated | Inverted Cone | Universal | Double Cut | KN61520-6 | 16.00 | 19.00 | 6.00 | 64 | 18 | | High Powered Grinder | 25,000 |
| SN | SN-6M8 D/C BUR | Brazed | Uncoated | Inverted Cone | Universal | Double Cut | KN81520-6 | 16.00 | 19.00 | 8.00 | 64 | 18 | | High Powered Grinder | 25,000 |
| SN | SN-7M D/C BUR | Brazed | Uncoated | Inverted Cone | Universal | Double Cut | KN62015-6 | 19.00 | 16.00 | 6.00 | 61 | 30 | | High Powered Grinder | 20,000 |
| SN | SN-7M8 D/C BUR | Brazed | Uncoated | Inverted Cone | Universal | Double Cut | KN82015-6 | 19.00 | 16.00 | 8.00 | 61 | 30 | | High Powered Grinder | 20,000 |
| Bur Sets | 5 PIECE CHAMFER APPLICATION SET | | Uncoated | Radius Bur Set | Radius Bur Set | Double Cut | >RADMF-FJ-5X6MM-VAR | | | | | | | | |
| Bur Sets | 10 PIECE RADIUS APPLICATION SET | | Uncoated | Radius Bur Set | Radius Bur Set | Double Cut | >RADMF-FG-10X6MM-VAR | | | | | | | | |
| SA | SA-5MRA D/C BUR | Brazed | Uncoated | Cylinder | Radius | Double Cut | KAMN61225-6F | 12.70 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 35,000 |
| SB | SB-5MRA D/C BUR | Brazed | Uncoated | Cylinder with End cut | Radius | Double Cut | KBMN61225-6F | 12.70 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 35,000 |
| SC</ | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | |
|-----|-------------------------------|---------------------|----------|-----------------------|--------------|---------------|-----------------|-------|-------|-------|-------|--------------------------------------|---------------------------|---------|
| SB | SB-2M D/C BUR TIALN | Brazed - Coated | Coated | Cylinder with End cut | Coated Range | Double Cut | KB60820-6 TIALN | 8.00 | 19.00 | 6.00 | 64 | High Speed Die Grinder | 60,000 | |
| SB | SB-3M D/C BUR TIALN | Brazed - Coated | Coated | Cylinder with End cut | Coated Range | Double Cut | KB61020-6 TIALN | 9.60 | 19.00 | 6.00 | 64 | High Powered Grinder | 55,000 | |
| SB | SB-5M D/C BUR TIALN | Brazed - Coated | Coated | Cylinder with End cut | Coated Range | Double Cut | KB61225-6 TIALN | 12.70 | 25.00 | 6.00 | 70 | High Speed Die Grinder | 35,000 | |
| SC | SC-42M D/C BUR TIALN | Solid - Coated | Coated | Ball Nosed Cylinder | Coated Range | Double Cut | KC30312-6 TIALN | 3.00 | 14.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SC | SC-1M D/C BUR TIALN | Solid - Coated | Coated | Ball Nosed Cylinder | Coated Range | Double Cut | KC60618-6 TIALN | 6.00 | 18.00 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SC | SC-2M D/C BUR TIALN | Brazed - Coated | Coated | Ball Nosed Cylinder | Coated Range | Double Cut | KC60820-6 TIALN | 8.00 | 19.00 | 6.00 | 64 | High Speed Die Grinder | 60,000 | |
| SC | SC-3M D/C BUR TIALN | Brazed - Coated | Coated | Ball Nosed Cylinder | Coated Range | Double Cut | KC61020-6 TIALN | 9.60 | 19.00 | 6.00 | 64 | High Powered Grinder | 55,000 | |
| SC | SC-5M D/C BUR TIALN | Brazed - Coated | Coated | Ball Nosed Cylinder | Coated Range | Double Cut | KC61225-6 TIALN | 12.70 | 25.00 | 6.00 | 70 | High Speed Die Grinder | 35,000 | |
| SD | SD-42M D/C BUR TIALN | Solid - Coated | Coated | Ball | Coated Range | Double Cut | KD30303-6 TIALN | 3.00 | 2.50 | 6.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SD | SD-1M D/C BUR TIALN | Solid - Coated | Coated | Ball | Coated Range | Double Cut | KD60606-6 TIALN | 6.00 | 4.70 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SD | SD-2M D/C BUR TIALN | Brazed - Coated | Coated | Ball | Coated Range | Double Cut | KD60808-6 TIALN | 8.00 | 6.00 | 6.00 | 52 | High Speed Die Grinder | 60,000 | |
| SD | SD-3M D/C BUR TIALN | Brazed - Coated | Coated | Ball | Coated Range | Double Cut | KD61010-6 TIALN | 9.60 | 8.00 | 6.00 | 54 | High Powered Grinder | 55,000 | |
| SD | SD-5M D/C BUR TIALN | Brazed - Coated | Coated | Ball | Coated Range | Double Cut | KD61212-6 TIALN | 12.70 | 11.00 | 6.00 | 56 | High Speed Die Grinder | 35,000 | |
| SF | SF-42M D/C BUR TIALN | Solid - Coated | Coated | Ball Nosed Tree | Coated Range | Double Cut | KF30312-6 TIALN | 3.00 | 14.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SF | SF-1M D/C BUR TIALN | Solid - Coated | Coated | Ball Nosed Tree | Coated Range | Double Cut | KF60618-6 TIALN | 6.00 | 18.00 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SF | SF-3M D/C BUR TIALN | Brazed - Coated | Coated | Ball Nosed Tree | Coated Range | Double Cut | KF61020-6 TIALN | 9.60 | 19.00 | 6.00 | 65 | High Powered Grinder | 55,000 | |
| SF | SF-5M D/C BUR TIALN | Brazed - Coated | Coated | Ball Nosed Tree | Coated Range | Double Cut | KF61225-6 TIALN | 12.70 | 25.00 | 6.00 | 70 | High Speed Die Grinder | 35,000 | |
| SG | SG-44M D/C BUR TIALN | Solid - Coated | Coated | Pointed Tree | Coated Range | Double Cut | KG30312-6 TIALN | 3.00 | 14.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SG | SG-1M D/C BUR TIALN | Solid - Coated | Coated | Pointed Tree | Coated Range | Double Cut | KG60618-6 TIALN | 6.00 | 18.00 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SG | SG-3M D/C BUR TIALN | Brazed - Coated | Coated | Pointed Tree | Coated Range | Double Cut | KG61020-6 TIALN | 9.60 | 19.00 | 6.00 | 64 | High Powered Grinder | 55,000 | |
| SG | SG-5M D/C BUR TIALN | Brazed - Coated | Coated | Pointed Tree | Coated Range | Double Cut | KG61225-6 TIALN | 12.70 | 25.00 | 6.00 | 70 | High Speed Die Grinder | 35,000 | |
| SH | SH-2M D/C BUR TIALN | Brazed - Coated | Coated | Flame | Coated Range | Double Cut | KH60820-6 TIALN | 8.00 | 19.00 | 6.00 | 64.00 | High Speed Die Grinder | 60,000 | |
| SH | SH-5M D/C BUR TIALN | Brazed - Coated | Coated | Flame | Coated Range | Double Cut | KH61232-6 TIALN | 12.70 | 32.00 | 6.00 | 70.00 | High Speed Die Grinder | 35,000 | |
| SL | SL-42M D/C BUR TIALN | Solid - Coated | Coated | Ball Nosed Cone | Coated Range | Double Cut | KL30312-6 TIALN | 3.00 | 14.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SL | SL-5M D/C BUR TIALN | Brazed - Coated | Coated | Ball Nosed Cone | Coated Range | Double Cut | KL61228-6 TIALN | 12.70 | 32.00 | 6.00 | 77 | High Speed Die Grinder | 35,000 | |
| SF | SF-3M D/C BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Ball Nosed Tree | Long Shank | Double Cut | KF61020-6-170 | 9.60 | 19.00 | 6.00 | 172 | Low Speed Die Grinder | 15,000 | |
| SF | SF-5M D/C BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Ball Nosed Tree | Long Shank | Double Cut | KF61225-6-175 | 12.70 | 25.00 | 6.00 | 178 | Low Speed Die Grinder | 15,000 | |
| SG | SG-3M D/C BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Pointed Tree | Long Shank | Double Cut | KG61020-6-170 | 9.60 | 19.00 | 6.00 | 172 | Low Speed Die Grinder | 15,000 | |
| SG | SG-5M D/C BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Pointed Tree | Long Shank | Double Cut | KG61225-6-175 | 12.70 | 25.00 | 6.00 | 178 | Low Speed Die Grinder | 15,000 | |
| SH | SH-2M D/C BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Flame | Long Shank | Double Cut | KH60820-6-170 | 8.00 | 19.00 | 6.00 | 172 | Low Speed Die Grinder | 15,000 | |
| SH | SH-5M D/C BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Flame | Long Shank | Double Cut | KH61232-6-182 | 12.70 | 32.00 | 6.00 | 182 | Low Speed Die Grinder | 15,000 | |
| SC | SC-1M D/C BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KC30314-6-50 | 3.00 | 14.00 | 3.00 | 50 | Low Speed Die Grinder | 100,000 | |
| SC | SC-1M D/C BUR 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KC30314-6-75 | 3.00 | 14.00 | 3.00 | 75 | Low Speed Die Grinder | 100,000 | |
| SC | SC-1M D/C BUR 3MM X 100MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KC30314-6-100 | 3.00 | 14.00 | 3.00 | 100 | Low Speed Die Grinder | 100,000 | |
| SD | SD-11M D/C BUR | Solid | Uncoated | Ball | Universal | Double Cut | KD60303-6 | 3.00 | 2.50 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SD | SD-42M D/C BUR | Solid | Uncoated | Ball | Universal | Double Cut | KD30303-6 | 3.00 | 2.50 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SD | SD-1M D/C BUR | Solid | Uncoated | Ball | Universal | Double Cut | KD60606-6 | 6.00 | 4.70 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SD | SD-42M D/C BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KD30303-6-50 | 3.00 | 2.50 | 3.00 | 50 | Low Speed Die Grinder | 100,000 | |
| SD | SD-42M D/C BUR 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KD30303-6-75 | 3.00 | 2.50 | 3.00 | 75 | Low Speed Die Grinder | 100,000 | |
| SE | SE-41M D/C BUR | Solid | Uncoated | Oval | Universal | Double Cut | KE30306-6 | 3.00 | 6.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SE | SE-1M D/C BUR | Solid | Uncoated | Oval | Universal | Double Cut | KE60610-6 | 6.00 | 10.00 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SE | SE-41M D/C BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KE30306-6-50 | 3.00 | 6.00 | 3.00 | 50 | Low Speed Die Grinder | 100,000 | |
| SE | SE-41M D/C BUR 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KE30306-6-75 | 3.00 | 6.00 | 3.00 | 75 | Low Speed Die Grinder | 100,000 | |
| SF | SF-41M D/C BUR | Solid | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF30306-6 | 3.00 | 6.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SF | SF-41M D/C BUR | Solid | Uncoated | Oval | Universal | Double Cut | KF30308-6 | 3.00 | 8.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SF | SF-42M D/C BUR | Solid | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF30312-6 | 3.00 | 14.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SF | SF-1M D/C BUR | Solid | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF60618-6 | 6.00 | 18.00 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SF | SF-1M D/C BUR 6MM X 150MM SHK | Solid - Long | Uncoated | Ball Nosed Tree | Long Shank | Double Cut | KF60618-6-150 | 6.00 | 18.00 | 6.00 | 150 | Low Speed Die Grinder | 15,000 | |
| SF | SF-42M BUR D/C 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KF30312-6-50 | 3.00 | 14.00 | 3.00 | 50 | Low Speed Die Grinder | 100,000 | |
| SF | SF-42M BUR D/C 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KF30312-6-75 | 3.00 | 14.00 | 3.00 | 75 | Low Speed Die Grinder | 100,000 | |
| SG | SG-41M D/C BUR | Solid | Uncoated | Pointed Tree | Universal | Double Cut | KG30306-6 | 3.00 | 6.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SG | SG-43M D/C BUR | Solid | Uncoated | Pointed Tree | Universal | Double Cut | KG30310-6 | 3.00 | 10.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SG | SG-44M D/C BUR | Solid | Uncoated | Pointed Tree | Universal | Double Cut | KG30312-6 | 3.00 | 14.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SG | SG-1M D/C BUR | Solid | Uncoated | Pointed Tree | Universal | Double Cut | KG60618-6 | 6.00 | 18.00 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SG | SG-44M BUR D/C 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KG30312-6-50 | 3.00 | 14.00 | 3.00 | 50 | Low Speed Die Grinder | 100,000 | |
| SG | SG-44M BUR D/C 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KG30312-6-75 | 3.00 | 14.00 | 3.00 | 75 | Low Speed Die Grinder | 100,000 | |
| SH | SH-41M D/C BUR | Solid | Uncoated | Flame | Universal | Double Cut | KH30306-6 | 3.00 | 6.00 | 3.00 | 38 | SP - Pencil Grinder Range | 100,000 | |
| SH | SH-1M D/C BUR | Solid | Uncoated | Flame | Universal | Double Cut | KH60614-6 | 6.00 | 14.00 | 6.00 | 50 | High Speed Die Grinder | 65,000 | |
| SE | SE-51M NF BUR | Brazed - Mini | Uncoated | Oval | Universal | Aluminium Cut | KE30610-3 | 6.30 | 9.50 | 3.00 | 42 | High Speed Die Grinders (3mm collet) | 65,000 | |
| SH | SH-41M BUR D/C 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KH30306-6-50 | 3.00 | 14.00 | 3.00 | 50 | Low Speed Die Grinder | 100,000 | |
| SH | SH-41M BUR D/C 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KH30306-6-75 | 3.00 | 14.00 | 3.00 | 75 | Low Speed Die Grinder | 100,000 | |
| SJ | SJ-42M D/C BUR | Solid | Uncoated | 60° Countersink | Universal | Double Cut | KJ30303-6 | 3.00 | 2.50 | 3.00 | 38 | 60 | SP - Pencil Grinder Range | 100,000 |
| SJ | SJ-1M D/C BUR | Solid | Uncoated | 60° Countersink | Universal | Double Cut | KJ60606-6 | 6.00 | 4.00 | 6.00 | 50 | 60 | High Speed Die Grinder | 65,000 |
| SK | SK-42M D/C BUR | Solid | Uncoated | 90° Countersink | Universal | Double Cut | KK30303-6 | 3.00 | 1.50 | 3.00 | 38 | 90 | SP - Pencil Grinder Range | 100,000 |
| SK | SK-1M D/C BUR | Solid | Uncoated | 90° Countersink | Universal | Double Cut | KK60603-6 | 6.00 | 3.00 | 6.00 | 50 | 90 | High Speed Die Grinder | 65,000 |
| SL | SL-41M D/C BUR | Solid | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL30310-6 | 3.00 | 10.00 | 3.00 | 38 | 10 | SP - Pencil Grinder Range | 100,000 |
| SL | SL-42M D/C BUR | Solid | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL30312-6 | 3.00 | 14.00 | 3.00 | 38 | 8 | SP - Pencil Grinder Range | 100,000 |
| SL | SL-1M D/C BUR | Solid | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL60618-6 | 6.00 | 18.00 | 6.00 | 50 | 14 | High Speed Die Grinder | 65,000 |
| SL | SL-42M BUR D/C 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KL30312-6-50 | 3.00 | 14.00 | 3.00 | 50 | 8 | Low Speed Die Grinder | 100,000 |
| SL | SL-42M BUR D/C 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Double Cut | KL30312-6-75 | 3.00 | 14.00 | 3.00 | 75 | 8 | Low Speed Die Grinder | 100,000 |
| SM | SM-42M D/C BUR | Solid | Uncoated | Cone | Universal | Double Cut | KM30311-6 | 3.00 | 11.00 | 3.00 | 38 | 14 | SP - Pencil Grinder Range | 100,000 |
| SM | SM-41M D/C BUR | Solid | Uncoated | Cone | Universal | Double Cut | KM30308-6 | 3.00 | 8.00 | 3.00 | 38 | 18 | SP - Pencil Grinder Range | 100,000 |
| SM | SM-43M D/C BUR | Solid | Uncoated | Cone | Universal | Double Cut | KM30315-6 | 3.00 | 15.00 | 3.00 | 38 | 10 | SP - Pencil Grinder Range | 100,000 |
| SM | SM-3M D/C BUR | Solid | Uncoated | Cone | Universal | Double Cut | KM60625-6 | 6.00 | 25.00 | 6.00 | 50 | 10 | High Speed Die Grinder | 65,000 |
| SM | SM-1M D/C BUR | Solid | Uncoated | Cone | Universal | Double Cut | KM60612-6 | 6.00 | 12.70 | 6.00 | 50 | 20 | High Speed Die Grinder | 65,000 |
| SM | SM-2M D/C BUR | Solid | Uncoated | Cone | Universal | Double Cut | KM60620-6 | 6.00 | 20.00 | 6.00 | 50 | 14 | High Speed Die Grinder | 65,000 |
| SN | SN-42M D/C BUR | Solid | Uncoated | Inverted Cone | Universal | Double Cut | KN30304-6 | 3.00 | 4.00 | 3.00 | 38 | 10 | SP - Pencil Grinder Range | 100,000 |
| SN | SN-42M D/C BUR | Solid | Uncoated | Inverted Cone | Universal | Double Cut | KN30304-6E | 3.00 | 4.00 | 3.00 | 38 | 10 | SP - Pencil Grinder Range | 100,000 |
| SN | SN-1M D/C BUR | Solid | Uncoated | Inverted Cone | Universal | Double Cut | KN60606-6 | 6.00 | 8.00 | 6.00 | 50 | 10 | High Speed Die Grinder | 65,000 |
| SN | SN-1M D/C BUR | Solid | Uncoated | Inverted Cone | Universal | Double Cut | KN60606-6E | 6.00 | 8.00 | 6.00 | 50 | 10 | High Speed Die Grinder | 65,000 |
| FGR | FGR #2M STYLE A | Solid | Uncoated | FGR Style A | FGR | FGR Style A | KP30313-8 | 3.00 | 12.00 | 3.00 | 38 | | | |
| FGR | FGR #3M STYLE A | Solid | Uncoated | FGR Style A | FGR | FGR Style A | KP40416-8 | 4.00 | 16.00 | 4.00 | 50 | | | |
| FGR | FGR #6M STYLE A | Solid | Uncoated | FGR Style A | FGR | FGR Style A | KP60619-8 | 6.00 | 19.00 | 6.00 | 63 | | | |
| FGR | FGR #8M STYLE A | Solid | Uncoated | FGR Style A | FGR | FGR Style A | KP101025-8 | 10.00 | 25.00 | 10.00 | 75 | | | |
| FGR | FGR #9M STYLE A | Solid | Uncoated | FGR Style A | FGR | FGR Style A | KP121230-8 | 12.00 | 25.00 | 12.00 | 75 | | | |
| FGR | FGR #7M STYLE A | Solid | Uncoated | FGR Style A | FGR | FGR Style A | KP80825-8 | 8.00 | 28.00 | 8.00 | 63 | | | |
| FGR | FGR #2M STYLE B | Solid | Uncoated | FGR Style B | FGR | FGR Style B | KP30313-8E | 3.00 | 12.00 | 3.00 | 38 | | | |
| FGR | FGR #3M STYLE B | Solid | Uncoated | FGR Style B | FGR | FGR Style B | KP40416-8E | 4.00 | 16.00 | 4.00 | 50 | | | |
| FGR | FGR #6M STYLE B | Solid | Uncoated | FGR Style B | FGR | FGR Style B | KP60619-8E | 6.00 | 19.00 | 6.00 | 63 | | | |
| FGR | FGR #8M STYLE B | Solid | Uncoated | FGR Style B | FGR | FGR Style B | KP101025-8E | 10.00 | 25.00 | 10.00 | 75 | | | |
| FGR | FGR #9M STYLE B | Solid | Uncoated | FGR Style B | FGR | FGR Style B | KP121230-8E | 12.00 | 25.00 | 12.00 | 75 | | | |
| FGR | FGR #7M STYLE B | Solid | Uncoated | FGR Style B | FGR | FGR Style B | KP80825-8E | 8.00 | 28.00 | 8.00 | 63 | | | |
| FGR | FGR #2M STYLE C | S | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | |
|----------|-------------------------------|---------------------|----------|-----------------------|-------------------|---------------|----------------------|-------|-------|------|-----|----|--|--------------------------------------|---------|
| SG | SG-1M INOX | Solid | Uncoated | Pointed Tree | Inox | Inox Cut | KG60618-3INOX | 6.00 | 18.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SL | SL-3M D/C BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Ball Nosed Cone | Long Shank | Double Cut | KL161026-6-176 | 9.60 | 30.00 | 6.00 | 183 | 14 | | Low Speed Die Grinder | 15,000 |
| SL | SL-4M D/C BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Ball Nosed Cone | Long Shank | Double Cut | KL161228-6-182 | 12.70 | 30.20 | 6.00 | 185 | 14 | | Low Speed Die Grinder | 15,000 |
| SA | SA-1M BUR 6MM X 100MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KA60618-2-100 | 6.00 | 18.00 | 6.00 | 100 | | | Low Speed Die Grinder | 15,000 |
| SA | SA-1M BUR 6MM X 150MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KA60618-2-150 | 6.00 | 18.00 | 6.00 | 150 | | | Low Speed Die Grinder | 15,000 |
| SA | SA-11M BUR | Solid | Uncoated | Cylinder | Universal | Single Cut | KA60312-2 | 3.00 | 14.00 | 6.00 | 50 | | | High Speed Die Grinder | 100,000 |
| SA | SA-43M BUR | Solid | Uncoated | Cylinder | Universal | Single Cut | KA30314-2 | 3.00 | 14.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-1M BUR | Solid | Uncoated | Cylinder | Universal | Single Cut | KA60618-2 | 6.00 | 18.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SA | SA-1ML BUR 25MM FL | Solid | Uncoated | Cylinder | Universal | Single Cut | KA60625-2 | 6.00 | 25.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SA | SA-43M BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KA30314-2-50 | 3.00 | 14.00 | 3.00 | 50 | | | Low Speed Die Grinder | |
| SA | SA-43M BUR 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KA30314-2-75 | 3.00 | 14.00 | 3.00 | 75 | | | Low Speed Die Grinder | |
| SA | SA-43M BUR 3MM X 100MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KA30314-2-100 | 3.00 | 14.00 | 3.00 | 100 | | | Low Speed Die Grinder | |
| SB | SB-1M BUR 6MM X 100MM SHK | Solid - Long | Uncoated | Cylinder with End cut | Long Shank | Single Cut | KB60618-2-100 | 6.00 | 18.00 | 6.00 | 100 | | | Low Speed Die Grinder | 15,000 |
| SB | SB-43M C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB30314-2 | 3.00 | 14.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SB | SB-11M BUR | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB60312-2 | 3.00 | 14.00 | 6.00 | 50 | | | High Speed Die Grinder | 100,000 |
| SB | SB-1ML BUR 25MM FL | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB60625-2 | 6.00 | 25.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SB | SB-1M BUR | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB60618-2 | 6.00 | 18.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SB | SB-1M BUR 6MM X 150MM SHK | Solid - Long | Uncoated | Cylinder with End cut | Long Shank | Single Cut | KB60618-2-150 | 6.00 | 18.00 | 6.00 | 150 | | | Low Speed Die Grinder | 15,000 |
| SB | SB-43M BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KB30314-2-50 | 3.00 | 14.00 | 3.00 | 50 | | | Low Speed Die Grinder | |
| SB | SB-43M BUR 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KB30314-2-75 | 3.00 | 14.00 | 3.00 | 75 | | | Low Speed Die Grinder | |
| SB | SB-43M BUR 3MM X 100MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KB30314-2-100 | 3.00 | 14.00 | 3.00 | 100 | | | Low Speed Die Grinder | |
| SC | SC-11M BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Single Cut | KC60312-2 | 3.00 | 14.00 | 6.00 | 50 | | | High Speed Die Grinder | 100,000 |
| SC | SC-42M BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Single Cut | KC30132-2 | 3.00 | 14.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SC | SC-1ML BUR 25MM FL | Solid | Uncoated | Ball Nosed Cylinder | Universal | Single Cut | KC60625-2 | 6.00 | 25.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SC | SC-1M BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Single Cut | KC60618-2 | 6.00 | 18.00 | 6.00 | 50 | | | High Speed Die Grinder | 65,000 |
| SC | SC-1M BUR 6MM X 100MM SHK | Solid - Long | Uncoated | Ball Nosed Cylinder | Long Shank | Single Cut | KC60618-2-100 | 6.00 | 18.00 | 6.00 | 100 | | | Low Speed Die Grinder | 15,000 |
| SC | SC-1M BUR 6MM X 150MM SHK | Solid - Long | Uncoated | Ball Nosed Cylinder | Long Shank | Single Cut | KC60618-2-150 | 6.00 | 18.00 | 6.00 | 150 | | | Low Speed Die Grinder | 15,000 |
| SC | SC-1M BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KC30314-2-50 | 3.00 | 14.00 | 3.00 | 50 | | | Low Speed Die Grinder | |
| SC | SC-1M BUR 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KC30314-2-75 | 3.00 | 14.00 | 3.00 | 75 | | | Low Speed Die Grinder | |
| Bur Sets | 10 PIECE METRIC MICRO BUR SET | | Uncoated | Universal Bur Set | Universal Bur Set | | >BSMICMX-BQ-10X3MM-2 | | | | | | | | |
| SA | SA-41M BUR | Solid | Uncoated | Cylinder | Universal | Single Cut | KA31506-2 | 1.50 | 6.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-41M BUR | Solid | Uncoated | Cylinder | Universal | Single Cut | KA30211-2 | 2.00 | 11.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SA | SA-42M BUR | Solid | Uncoated | Cylinder | Universal | Single Cut | KA32512-2 | 2.50 | 12.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SC | SC-1M BUR 3MM X 100MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KC30314-2-100 | 3.00 | 14.00 | 3.00 | 100 | | | Low Speed Die Grinder | |
| SA | SA-13M BUR | Solid | Uncoated | Cylinder | Universal | Single Cut | KA60413-2 | 4.00 | 14.00 | 6.00 | 50 | | | High Speed Die Grinder | 75,000 |
| SA | SA-14M BUR | Solid | Uncoated | Cylinder | Universal | Single Cut | KA60516-2 | 5.00 | 16.00 | 6.00 | 50 | | | High Speed Die Grinder | 75,000 |
| SF | SF-51M NF BUR | Brazed - Mini | Uncoated | Ball Nosed Tree | Universal | Aluminium Cut | KF30612-3 | 6.30 | 12.70 | 3.00 | 45 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SF | SF-53M BUR | Brazed - Mini | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF30512-2 | 5.00 | 12.70 | 3.00 | 38 | | | High Speed Die Grinders (3mm collet) | 75,000 |
| SF | SF-53M D/C BUR | Brazed - Mini | Uncoated | Ball Nosed Tree | Universal | Double Cut | KF30512-6 | 5.00 | 12.70 | 3.00 | 38 | | | High Speed Die Grinders (3mm collet) | 75,000 |
| SA | SA-2M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA60820-2 | 8.00 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 60,000 |
| SA | SA-2M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA61014-2 | 9.60 | 13.50 | 6.00 | 59 | | | High Powered Grinder | 55,000 |
| SA | SA-3M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA61020-2 | 9.60 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 55,000 |
| SA | SA-3M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA61025-2 | 9.60 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 55,000 |
| SA | SA-4M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA61125-2 | 11.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 35,000 |
| SA | SA-4M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA61220-2 | 12.70 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 35,000 |
| SA | SA-5M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA61225-2 | 12.70 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 35,000 |
| SA | SA-5M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA81225-2 | 12.70 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 35,000 |
| SA | SA-6M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA61525-2 | 16.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 25,000 |
| SA | SA-6M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA81525-2 | 16.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 25,000 |
| SA | SA-7M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA62025-2 | 19.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 20,000 |
| SA | SA-7M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA82025-2 | 19.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 20,000 |
| SA | SA-9M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA62525-2 | 25.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 15,000 |
| SA | SA-9M BUR | Brazed | Uncoated | Cylinder | Universal | Single Cut | KA82525-2 | 25.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 15,000 |
| SB | SB-41M C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB31506-2 | 1.50 | 6.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SB | SB-41M C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB30211-2 | 2.00 | 11.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SB | SB-42M C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB32512-2 | 2.50 | 12.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SB | SB-11M BUR | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB60413-2 | 4.00 | 14.00 | 6.00 | 50 | | | High Speed Die Grinder | 75,000 |
| SB | SB-14M C BUR | Solid | Uncoated | Cylinder with End cut | Universal | Single Cut | KB60516-2 | 5.00 | 16.00 | 6.00 | 50 | | | High Speed Die Grinder | 75,000 |
| SG | SG-51M BUR | Brazed - Mini | Uncoated | Pointed Tree | Universal | Single Cut | KG30612-2 | 6.30 | 12.70 | 3.00 | 45 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SD | SD-11M BUR | Solid | Uncoated | Ball | Universal | Single Cut | KD60303-2 | 3.00 | 2.50 | 6.00 | 50 | | | High Speed Die Grinder | 100,000 |
| SG | SG-51M D/C BUR | Brazed - Mini | Uncoated | Pointed Tree | Universal | Double Cut | KG30612-6 | 6.30 | 12.70 | 3.00 | 45 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SG | SG-51M NF BUR | Brazed - Mini | Uncoated | Pointed Tree | Universal | Aluminium Cut | KG30612-3 | 6.30 | 12.70 | 3.00 | 45 | | | High Speed Die Grinders (3mm collet) | 65,000 |
| SB | SB-2M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB60820-2 | 8.00 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 60,000 |
| SB | SB-3ML BUR 25MM FL | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB61025-2 | 9.50 | 25.00 | 6.00 | 69 | | | High Powered Grinder | 55,000 |
| SB | SB-3M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB61020-2 | 9.60 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 55,000 |
| SB | SB-3M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB61014-2 | 9.60 | 13.50 | 6.00 | 59 | | | High Powered Grinder | 55,000 |
| SB | SB-4M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB61125-2 | 11.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 35,000 |
| SB | SB-4M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB61220-2 | 12.70 | 19.00 | 6.00 | 64 | | | High Powered Grinder | 35,000 |
| SB | SB-5M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB61225-2 | 12.70 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 35,000 |
| SB | SB-5M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB81225-2 | 12.70 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 35,000 |
| SB | SB-6M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB61525-2 | 16.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 25,000 |
| SB | SB-6M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB61525-2 | 16.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 25,000 |
| SB | SB-7M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB62025-2 | 19.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 20,000 |
| SB | SB-7M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB82025-2 | 19.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 20,000 |
| SB | SB-9M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB62525-2 | 25.00 | 25.00 | 6.00 | 70 | | | High Powered Grinder | 15,000 |
| SB | SB-9M BUR | Brazed | Uncoated | Cylinder with End cut | Universal | Single Cut | KB82525-2 | 25.00 | 25.00 | 8.00 | 70 | | | High Powered Grinder | 15,000 |
| SC | SC-41M BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Single Cut | KC30211-2 | 2.00 | 11.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SC | SC-41M BUR | Solid | Uncoated | Ball Nosed Cylinder | Universal | Single Cut | KC32512-2 | 2.50 | 11.00 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SD | SD-42M BUR | Solid | Uncoated | Ball | Universal | Single Cut | KD30303-2 | 3.00 | 2.50 | 3.00 | 38 | | | SP - Pencil Grinder Range | 100,000 |
| SD | SD-1M BUR | Solid | Uncoated | Ball | Universal | Single Cut | KD60606-2 | 6.00 | 4.70 | 6.00 | 50 | | | | |

| | | | | | | | | | | | | | | |
|-----|---------------------------|----------------|----------|-----------------|------------|--------------|---------------|-------|-------|------|-----|----|--------------------------------------|---------|
| SF | SF-14M BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF62032-2 | 19.00 | 32.00 | 6.00 | 77 | | High Powered Grinder | 20,000 |
| SF | SF-14M BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF62032-2 | 19.00 | 32.00 | 6.00 | 77 | | High Powered Grinder | 20,000 |
| SF | SF-14M8 BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF82032-2 | 19.00 | 32.00 | 8.00 | 77 | | High Powered Grinder | 20,000 |
| SF | SF-15M BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF62038-2 | 19.00 | 38.00 | 6.00 | 83 | | High Powered Grinder | 20,000 |
| SF | SF-15M8 BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF82038-2 | 19.00 | 38.00 | 8.00 | 83 | | High Powered Grinder | 20,000 |
| SF | SF-7M BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF82025-2 | 19.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 20,000 |
| SF | SF-7M8 BUR | Brazed | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF82025-2 | 19.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 20,000 |
| SL | SL-53M BUR | Brazed - Mini | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL30512-2 | 5.00 | 12.70 | 3.00 | 38 | 14 | High Speed Die Grinders (3mm collet) | 75,000 |
| SG | SG-2M BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG60820-2 | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SG | SG-3M BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG61020-2 | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SG | SG-13M BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG61220-2 | 12.70 | 19.00 | 6.00 | 64 | | High Powered Grinder | 35,000 |
| SG | SG-5M BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG61225-2 | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SG | SG-5M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG61230-2 | 12.70 | 30.00 | 6.00 | 75 | | High Powered Grinder | 35,000 |
| SG | SG-5M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG81225-2 | 12.70 | 25.00 | 8.00 | 70 | | High Powered Grinder | 35,000 |
| SG | SG-5M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG81230-2 | 12.70 | 30.00 | 8.00 | 75 | | High Powered Grinder | 35,000 |
| SG | SG-6M BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG61525-2 | 16.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 25,000 |
| SG | SG-6M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG81525-2 | 16.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 25,000 |
| SG | SG-6M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG61530-2 | 16.00 | 30.00 | 6.00 | 75 | | High Powered Grinder | 25,000 |
| SG | SG-6M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG81530-2 | 16.00 | 30.00 | 8.00 | 75 | | High Powered Grinder | 25,000 |
| SG | SG-7M BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG62025-2 | 19.00 | 25.00 | 6.00 | 70 | | High Powered Grinder | 20,000 |
| SG | SG-7M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG82025-2 | 19.00 | 25.00 | 8.00 | 70 | | High Powered Grinder | 20,000 |
| SF | SF-41M BUR | Solid | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF30306-2 | 3.00 | 6.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SF | SF-41M BUR | Solid | Uncoated | Oval | Universal | Single Cut | KF30308-2 | 3.00 | 8.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SG | SG-7M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG62038-2 | 19.00 | 38.00 | 6.00 | 83 | | High Powered Grinder | 20,000 |
| SG | SG-7M8 BUR | Brazed | Uncoated | Pointed Tree | Universal | Single Cut | KG82038-2 | 19.00 | 38.00 | 8.00 | 83 | | High Powered Grinder | 20,000 |
| SF | SF-42M BUR | Solid | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF30312-2 | 3.00 | 14.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SL | SL-53M D/C BUR | Brazed - Mini | Uncoated | Ball Nosed Cone | Universal | Double Cut | KL30512-6 | 5.00 | 12.70 | 3.00 | 38 | 14 | High Speed Die Grinders (3mm collet) | 75,000 |
| SF | SF-1M BUR | Solid | Uncoated | Ball Nosed Tree | Universal | Single Cut | KF60618-2 | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SF | SF-1M BUR 6MM X 150MM SHK | Solid - Long | Uncoated | Ball Nosed Tree | Long Shank | Single Cut | KF60618-2-150 | 6.00 | 18.00 | 6.00 | 150 | | Low Speed Die Grinder | 15,000 |
| SH | SH-2M BUR | Brazed | Uncoated | Flame | Universal | Single Cut | KH60820-2 | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SH | SH-2M BUR | Brazed | Uncoated | Flame | Universal | Single Cut | KH61020-2 | 9.60 | 19.00 | 6.00 | 65 | | High Powered Grinder | 55,000 |
| SH | SH-5M BUR | Brazed | Uncoated | Flame | Universal | Single Cut | KH61232-2 | 12.70 | 32.00 | 6.00 | 77 | | High Powered Grinder | 35,000 |
| SH | SH-5M8 BUR | Brazed | Uncoated | Flame | Universal | Single Cut | KH81232-2 | 12.70 | 32.00 | 8.00 | 77 | | High Powered Grinder | 35,000 |
| SH | SH-6M BUR | Brazed | Uncoated | Flame | Universal | Single Cut | KH61535-2 | 16.00 | 36.00 | 6.00 | 81 | | High Powered Grinder | 25,000 |
| SH | SH-6M8 BUR | Brazed | Uncoated | Flame | Universal | Single Cut | KH81535-2 | 16.00 | 36.00 | 8.00 | 81 | | High Powered Grinder | 25,000 |
| SH | SH-7M BUR | Brazed | Uncoated | Flame | Universal | Single Cut | KH62042-2 | 19.00 | 41.00 | 6.00 | 86 | | High Powered Grinder | 20,000 |
| SH | SH-7M8 BUR | Brazed | Uncoated | Flame | Universal | Single Cut | KH82042-2 | 19.00 | 41.00 | 8.00 | 86 | | High Powered Grinder | 20,000 |
| SF | SF-42M BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KF30312-2-50 | 3.00 | 14.00 | 3.00 | 50 | | Low Speed Die Grinder | |
| SJ | SJ-3M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ61008-2 | 9.60 | 8.00 | 6.00 | 56 | 60 | High Powered Grinder | 55,000 |
| SJ | SJ-5M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ61210-2 | 12.70 | 11.00 | 6.00 | 59 | 60 | High Powered Grinder | 35,000 |
| SJ | SJ-5M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ81210-2 | 12.70 | 11.00 | 8.00 | 59 | 60 | High Powered Grinder | 35,000 |
| SK | SK-3M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK61004-2 | 9.60 | 4.70 | 6.00 | 53 | 90 | High Powered Grinder | 55,000 |
| SK | SK-5M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK61206-2 | 12.70 | 6.30 | 6.00 | 55 | 90 | High Powered Grinder | 35,000 |
| SK | SK-5M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK81206-2 | 12.70 | 6.30 | 8.00 | 55 | 90 | High Powered Grinder | 35,000 |
| SK | SK-6M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK61508-2 | 16.00 | 8.00 | 6.00 | 57 | 90 | High Powered Grinder | 25,000 |
| SK | SK-6M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK81508-2 | 16.00 | 8.00 | 8.00 | 57 | 90 | High Powered Grinder | 25,000 |
| SK | SK-7M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK82012-2 | 19.00 | 9.50 | 8.00 | 59 | 90 | High Powered Grinder | 20,000 |
| SK | SK-7M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK62012-2 | 19.00 | 9.50 | 6.00 | 59 | 90 | High Powered Grinder | 20,000 |
| SK | SK-7M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK82512-2 | 25.00 | 12.70 | 8.00 | 61 | 90 | High Powered Grinder | 15,000 |
| SK | SK-9M BUR | Brazed | Uncoated | 90° Countersink | Universal | Single Cut | KK62512-2 | 25.00 | 12.70 | 6.00 | 61 | 90 | High Powered Grinder | 15,000 |
| SJ | SJ-6M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ61512-2 | 16.00 | 14.50 | 6.00 | 63 | 60 | High Powered Grinder | 25,000 |
| SJ | SJ-6M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ81512-2 | 16.00 | 14.50 | 8.00 | 63 | 60 | High Powered Grinder | 25,000 |
| SJ | SJ-7M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ62018-2 | 19.00 | 17.50 | 6.00 | 65 | 60 | High Powered Grinder | 20,000 |
| SJ | SJ-7M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ82018-2 | 19.00 | 17.50 | 8.00 | 65 | 60 | High Powered Grinder | 20,000 |
| SJ | SJ-9M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ62520-2 | 25.00 | 24.50 | 6.00 | 70 | 60 | High Powered Grinder | 15,000 |
| SJ | SJ-9M BUR | Brazed | Uncoated | 60° Countersink | Universal | Single Cut | KJ82520-2 | 25.00 | 24.50 | 8.00 | 70 | 60 | High Powered Grinder | 15,000 |
| SF | SF-42M BUR 3MM X 75MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KF30312-2-75 | 3.00 | 14.00 | 3.00 | 75 | | Low Speed Die Grinder | |
| SM | SM-51M BUR | Brazed - Mini | Uncoated | Cone | Universal | Single Cut | KM30612-2 | 6.30 | 12.70 | 3.00 | 49 | 22 | High Speed Die Grinders (3mm collet) | 65,000 |
| SM | SM-51M D/C BUR | Brazed - Mini | Uncoated | Cone | Universal | Double Cut | KM30612-6 | 6.30 | 12.70 | 3.00 | 49 | 22 | High Speed Die Grinders (3mm collet) | 65,000 |
| SL | SL-2M BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL60822-2 | 8.00 | 25.40 | 6.00 | 70 | 14 | High Powered Grinder | 60,000 |
| SL | SL-3M BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL61026-2 | 9.60 | 30.00 | 6.00 | 76 | 14 | High Powered Grinder | 55,000 |
| SL | SL-2M BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL61020-2 | 10.00 | 20.00 | 6.00 | 65 | 14 | High Powered Grinder | 55,000 |
| SL | SL-3M BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL61225-2 | 12.00 | 25.00 | 6.00 | 70 | 14 | High Powered Grinder | 35,000 |
| SL | SL-4M BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL61228-2 | 12.70 | 32.00 | 6.00 | 77 | 14 | High Powered Grinder | 35,000 |
| SL | SL-4M BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL81228-2 | 12.70 | 32.00 | 8.00 | 77 | 14 | High Powered Grinder | 35,000 |
| SL | SL-5M BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL61533-2 | 16.00 | 33.00 | 6.00 | 78 | 14 | High Powered Grinder | 25,000 |
| SL | SL-5M8 BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL81533-2 | 16.00 | 33.00 | 8.00 | 78 | 14 | High Powered Grinder | 25,000 |
| SL | SL-7M BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL62038-2 | 19.00 | 41.00 | 6.00 | 86 | 14 | High Powered Grinder | 20,000 |
| SL | SL-7M8 BUR | Brazed | Uncoated | Ball Nosed Cone | Universal | Single Cut | KL82038-2 | 19.00 | 41.00 | 8.00 | 86 | 14 | High Powered Grinder | 20,000 |
| SG | SG-41M BUR | Solid | Uncoated | Pointed Tree | Universal | Single Cut | KG30306-2 | 3.00 | 6.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SG | SG-43M BUR | Solid | Uncoated | Pointed Tree | Universal | Single Cut | KG30310-2 | 3.00 | 10.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SM | SM-51M NF BUR | Brazed - Mini | Uncoated | Cone | Universal | Aluminum Cut | KM30612-3 | 6.30 | 12.70 | 3.00 | 49 | 22 | High Speed Die Grinders (3mm collet) | 65,000 |
| SM | SM-4M BUR | Brazed | Uncoated | Cone | Universal | Single Cut | KM60818-2 | 8.00 | 18.00 | 6.00 | 64 | 22 | High Powered Grinder | 60,000 |
| SM | SM-5M BUR | Brazed | Uncoated | Cone | Universal | Single Cut | KM61020-2 | 9.60 | 16.00 | 6.00 | 64 | 28 | High Powered Grinder | 55,000 |
| SM | SM-5M8 BUR | Brazed | Uncoated | Cone | Universal | Single Cut | KM61222-2 | 12.70 | 22.00 | 6.00 | 71 | 28 | High Powered Grinder | 35,000 |
| SM | SM-6M BUR | Brazed | Uncoated | Cone | Universal | Single Cut | KM61525-2 | 16.00 | 25.00 | 6.00 | 71 | 31 | High Powered Grinder | 25,000 |
| SM | SM-6M8 BUR | Brazed | Uncoated | Cone | Universal | Single Cut | KM81525-2 | 16.00 | 25.00 | 8.00 | 71 | 31 | High Powered Grinder | 25,000 |
| SG | SG-44M BUR | Solid | Uncoated | Pointed Tree | Universal | Single Cut | KG30312-2 | 3.00 | 14.00 | 3.00 | 38 | | SP - Pencil Grinder Range | 100,000 |
| SG | SG-1M RAPIDE BUR | Solid - Coated | Coated | Pointed Tree | Universal | Single Cut | KG60618-2 | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | |
| SG | SG-1M C BUR | Solid | Uncoated | Pointed Tree | Universal | Single Cut | KG60618-2 | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SG | SG-44M BUR 3MM X 50MM SHK | Solid - Long | Uncoated | Cylinder | Long Shank | Single Cut | KG30312-2-50 | 3.00 | 14.00 | 3.00 | 50 | | Low Speed Die Grinder | |
| SN | SN-51M BUR | Brazed - Mini | Uncoated | Inverted Cone | Universal | Single Cut | KN30606-2 | 6.30 | 6.00 | 3.00 | 39 | 12 | High Speed Die Grinders (3mm collet) | 65,000 |
| SN | SN-2M BUR | Brazed | Uncoated | Inverted Cone | Universal | Single Cut | KN61010-2 | 9.60 | 9.50 | 6.00 | 55 | 16 | High Powered Grinder | 55,000 |
| SN | SN-4M BUR | Brazed | Uncoated | Inverted Cone | Universal | Single Cut | KN61212-2 | 12.70 | 12.70 | 6.00 | 58 | 28 | High Powered Grinder | 35,000 |
| SN | SN-4M8 BUR | Brazed | Uncoated | Inverted Cone | Universal | Single Cut | KN81212-2 | 12.70 | 12.70 | 8.00 | 58 | 28 | High Powered Grinder | 35,000 |
| SN | SN-6M BUR | Brazed | Uncoated | Inverted Cone | Universal | Single Cut | KN61520-2 | 16.00 | 19.00 | 6.00 | 64 | 18 | High Powered Grinder | 25,000 |
| SN | SN-6M8 BUR | Brazed | Uncoated | Inverted Cone | Universal | Single Cut | KN81520-2 | 16.00 | 19.00 | 8.00 | 64 | 18 | High Powered Grinder | 25,000 |
| SN | SN-7M BUR | Brazed | Uncoated | Inverted Cone | Universal | Single Cut | KN62015-2 | 19.00 | 16.00 | 6.00 | 61 | 30 | High Powered Grinder | 20,000 |
| SN | SN-7M8 BUR | Brazed | Uncoated | Inverted Cone | Universal | Single Cut | KN82015-2 | 19.00 | 16.00 | 8.00 | 61 | 30 | High Powered Grinder | 20,000 |
| Rim | Rim | Brazed | Uncoated | | Rim | Single Cut | KA3101.6-2 | 10.00 | 1.60 | 3.00 | 34 | | | |
| Rim | Rim - 6MM 90 Deg. + Rad | Brazed | Uncoated | | Rim | Single Cut | KR8R83806-2 | 38.00 | 6.10 | 6.00 | 51 | | | |
| Rim | Rim - 8MM 90 Deg. + Rad | Brazed | Uncoated | | Rim | Single Cut | KR8R83806-2 | 38.00 | 6.10 | 8.00 | 51 | | | |
| Rim | Rim | Brazed | Uncoated | | Rim | Single Cut | KA6122.6-2 | 12.00 | 2.60 | 6.00 | 48 | | | |
| Rim | Rim | Brazed | Uncoated | | Rim | Single Cut | KR62506-2 | 25.00 | 6.30 | 8.00 | 51 | | | |
| R | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | |
|----------|---------------------------|---------------------|----------|-----------------------|---------------|------------|----------------------|-------|-------|-------|-----|----|---------------------------|---------|
| SM | SM-2M BUR | Solid | Uncoated | Cone | Universal | Single Cut | KM60620-2 | 6.00 | 20.00 | 6.00 | 50 | 14 | High Speed Die Grinder | 65,000 |
| SN | SN-42M BUR | Solid | Uncoated | Inverted Cone | Universal | Single Cut | KN30304-2 | 3.00 | 4.00 | 3.00 | 38 | 10 | SP - Pencil Grinder Range | 100,000 |
| SN | SN-42M BUR | Solid | Uncoated | Inverted Cone | Universal | Single Cut | KN30304-2E | 3.00 | 4.00 | 3.00 | 38 | 10 | SP - Pencil Grinder Range | 100,000 |
| SN | SN-1M BUR | Solid | Uncoated | Inverted Cone | Universal | Single Cut | KN60606-2 | 6.00 | 8.00 | 6.00 | 50 | 10 | High Speed Die Grinder | 65,000 |
| SN | SN-1M BUR | Solid | Uncoated | Inverted Cone | Universal | Single Cut | KN60606-2E | 6.00 | 8.00 | 6.00 | 50 | 10 | High Speed Die Grinder | 65,000 |
| Bur Sets | 5 PIECE STEEL CUT BUR SET | | Uncoated | Steel Bur Set | Steel Bur Set | Steel Cut | >SET12MX-HC-5X6MM-ST | | | | | | | |
| SA | SA-1M STEEL | Solid | Uncoated | Cylinder | Steel | Steel Cut | KA60618-6STEEL | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SB | SB-1M STEEL | Solid | Uncoated | Cylinder with End cut | Steel | Steel Cut | KB60618-6STEEL | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SC | SC-1M STEEL | Solid | Uncoated | Ball Nosed Cylinder | Steel | Steel Cut | KC60618-6STEEL | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SA | SA-2M STEEL | Brazed | Uncoated | Cylinder | Steel | Steel Cut | KA60820-6STEEL | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SA | SA-3M STEEL | Brazed | Uncoated | Cylinder | Steel | Steel Cut | KA61020-6STEEL | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SA | SA-5M STEEL | Brazed | Uncoated | Cylinder | Steel | Steel Cut | KA61225-6STEEL | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SB | SB-2M STEEL | Brazed | Uncoated | Cylinder with End cut | Steel | Steel Cut | KB60820-6STEEL | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SB | SB-3M STEEL | Brazed | Uncoated | Cylinder with End cut | Steel | Steel Cut | KB61020-6STEEL | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SB | SB-5M STEEL | Brazed | Uncoated | Cylinder with End cut | Steel | Steel Cut | KB61225-6STEEL | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SC | SC-2M STEEL | Brazed | Uncoated | Ball Nosed Cylinder | Steel | Steel Cut | KC60820-6STEEL | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SC | SC-3M STEEL | Brazed | Uncoated | Ball Nosed Cylinder | Steel | Steel Cut | KC61020-6STEEL | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SC | SC-5M STEEL | Brazed | Uncoated | Ball Nosed Cylinder | Steel | Steel Cut | KC61225-6STEEL | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SD | SD-2M STEEL | Brazed | Uncoated | Ball | Steel | Steel Cut | KD60808-6STEEL | 8.00 | 6.00 | 6.00 | 52 | | High Powered Grinder | 60,000 |
| SD | SD-3M STEEL | Brazed | Uncoated | Ball | Steel | Steel Cut | KD61010-6STEEL | 9.60 | 8.00 | 6.00 | 54 | | High Powered Grinder | 55,000 |
| SD | SD-5M STEEL | Brazed | Uncoated | Ball | Steel | Steel Cut | KD61212-6STEEL | 12.70 | 11.00 | 6.00 | 56 | | High Powered Grinder | 35,000 |
| SE | SE-5M STEEL | Brazed | Uncoated | Oval | Steel | Steel Cut | KE61220-6STEEL | 12.70 | 22.00 | 6.00 | 67 | | High Powered Grinder | 35,000 |
| SF | SF-2M STEEL | Brazed | Uncoated | Ball Nosed Tree | Steel | Steel Cut | KF60820-6STEEL | 8.00 | 20.00 | 6.00 | 65 | | High Powered Grinder | 60,000 |
| SF | SF-3M STEEL | Brazed | Uncoated | Ball Nosed Tree | Steel | Steel Cut | KF61020-6STEEL | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SF | SF-5M STEEL | Brazed | Uncoated | Ball Nosed Tree | Steel | Steel Cut | KF61225-6STEEL | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SG | SG-2M STEEL | Brazed | Uncoated | Pointed Tree | Steel | Steel Cut | KG60820-6STEEL | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SG | SG-3M STEEL | Brazed | Uncoated | Pointed Tree | Steel | Steel Cut | KG61020-6STEEL | 9.60 | 19.00 | 6.00 | 64 | | High Powered Grinder | 55,000 |
| SG | SG-5M STEEL | Brazed | Uncoated | Pointed Tree | Steel | Steel Cut | KG61225-6STEEL | 12.70 | 25.00 | 6.00 | 70 | | High Powered Grinder | 35,000 |
| SH | SH-2M STEEL | Brazed | Uncoated | Flame | Steel | Steel Cut | KH60820-6STEEL | 8.00 | 19.00 | 6.00 | 64 | | High Powered Grinder | 60,000 |
| SH | SH-5M STEEL | Brazed | Uncoated | Flame | Steel | Steel Cut | KH61232-6STEEL | 12.70 | 32.00 | 6.00 | 77 | | High Powered Grinder | 35,000 |
| SL | SL-3M STEEL | Brazed | Uncoated | Ball Nosed Cone | Steel | Steel Cut | KL61026-6STEEL | 9.60 | 30.00 | 6.00 | 76 | 14 | High Powered Grinder | 55,000 |
| SL | - | Brazed | Uncoated | Ball Nosed Cone | Steel | Steel Cut | KL61020-6STEEL | 10.00 | 20.00 | 6.00 | 65 | 14 | High Powered Grinder | 55,000 |
| SL | SL-4M STEEL | Brazed | Uncoated | Ball Nosed Cone | Steel | Steel Cut | KL61228-6STEEL | 12.70 | 32.00 | 6.00 | 77 | 14 | High Powered Grinder | 35,000 |
| SD | SD-1M STEEL | Solid | Uncoated | Ball | Steel | Steel Cut | KD60606-6STEEL | 6.00 | 4.70 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SF | SF-1M STEEL | Solid | Uncoated | Ball Nosed Tree | Steel | Steel Cut | KF60618-6STEEL | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| SG | SG-1M STEEL | Solid | Uncoated | Pointed Tree | Steel | Steel Cut | KG60618-6STEEL | 6.00 | 18.00 | 6.00 | 50 | | High Speed Die Grinder | 65,000 |
| N/A | 3.0MM TYRE ROUTER | Solid | Uncoated | N/A | Tyre Router | TR Cut | KTR30325-8-50 O/A | 3.00 | 25.00 | 3.00 | 50 | | | |
| N/A | 4.5MM TYRE ROUTER | Solid | Uncoated | N/A | Tyre Router | TR Cut | KTR604.530-5-90 O/A | 4.50 | 30.00 | 6.00 | 90 | | | |
| N/A | 6.0MM TYRE ROUTER | Solid | Uncoated | N/A | Tyre Router | TR Cut | KTR60636-6-65 O/A | 6.00 | 36.00 | 6.00 | 65 | | | |
| N/A | 6.0MM LONG TYRE ROUTER | Solid | Uncoated | N/A | Tyre Router | TR Cut | KTR60650-6-80 O/A | 6.00 | 50.00 | 6.00 | 80 | | | |
| N/A | 10.0MM TYRE ROUTER | Brazed | Uncoated | N/A | Tyre Router | TR Cut | KTR101050-6-110 O/A | 10.00 | 60.00 | 10.00 | 110 | | | |
| N/A | 8.0MM TYRE ROUTER | Brazed | Uncoated | N/A | Tyre Router | TR Cut | KTR80850-6-110 O/A | 8.00 | 50.00 | 8.00 | 110 | | | |
| SH | SH-2M BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Flame | Long Shank | Single Cut | KH60820-2-170 | 8.00 | 19.00 | 6.00 | 172 | | Low Speed Die Grinder | 15,000 |
| SH | SH-5M BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Flame | Long Shank | Single Cut | KH61232-2-182 | 12.70 | 32.00 | 6.00 | 182 | | Low Speed Die Grinder | 15,000 |
| SL | SL-3M BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Ball Nosed Cone | Long Shank | Single Cut | KL61026-2-176 | 9.60 | 30.00 | 6.00 | 183 | 14 | Low Speed Die Grinder | 15,000 |
| SL | SL-4M BUR 6MM X 150MM SHK | Brazed - Long Shank | Uncoated | Ball Nosed Cone | Long Shank | Single Cut | KL61228-2-182 | 12.70 | 30.20 | 6.00 | 185 | 14 | Low Speed Die Grinder | 15,000 |